CONTENTS OF VOLUME 30 (1989)

Repeated computed tomography in lacunar infarcts of the brain
E. B. Skriver and T. S. Olsen 1

Multicystic acoustic neuroma—Case report and differential diagnosis
A. J. Drapkin and W. S. Rose 7

Computed tomography and ultrasonography in parotid tumors
M. Isaza, J. Ikezoe, S. Morimoto, S. Takashima, K. Kadowaki, N. Takeuchi, M. Sano, K. Nakao and T. Kozuka 11

Esophageal motor function evaluated by scintigraphy, video-radiography and manometry in diabetic patients
G. Sundkvist, B. Hillarp, B. Lilja and O. Ekberg 17

Double contrast barium enema combined with non-invasive imaging in peritoneal mesothelioma
G. Cozzi, M. Bellomi, L. F. Frigerio, C. Ostinelli, A. Marchianò, R. Petrillo and A. Severini . 21

Computed tomography of ano-rectal anomalies—Correlation between radiologic findings and clinical evaluation of faecal incontinence
A. Arnbjörnsson, S. Laurin and C. Mikaelsson 25

MR-cholangiography with a double contrast technique
A. Hemmingsson, J. Carlsten, A. Ericsson, E. Holtz, J. Klaveness, M. Lönnemark and R. Nyman 29

Preoperative ultrasound assessment of choledochal cysts—Report of three cases
S. N. Jones, W. R. Lees and R. C. G. Russell . 35

Vascular parenchymal sources of upper gastrointestinal bleeding
S. Savastano, G. P. Feltrin, D. Miotta, M. Chiesura-Corona, L. Rubaltelli and F. Candiani . . 39

Mucinous cystadenocarcinoma of the pancreas—Ultrasonographic findings in 5 cases
C. Bastid, J. Sahel, B. Sastre, P. Schurgers and H. Sarles 45

Demonstration of splenic and portal veins at routine celiac angiography—A clinical investigation of metrizoate and ioxaglate
P. Nilsson and P. Aspelin 49

Duplex sonography of normal renal allografts
B. Schwaighofer, F. Kainberger, F. Fruehwald, P. Huebsch, N. Gritzmann, F. Karnel and D. Tscholakoff 53

Absorbed dose resulting from a specially designed computed tomography technique for examination of the urinary bladder
E. M. Sager, A. Skretting and L. Lindsköld . . 57

Demonstration of pedal aterial arcades in occlusive arteriosclerotic disease—Conventional and digital subtraction angiography compared
P. K. Hol, J. Heldaas and A. Skjennald 61

Roentgenologic assessment of spondylisthesis—II—An evaluation of progression
B. Danielsson, K. Frennered, G. Selvik and L. Irstam 65

Evaluation of three methods for measurement of femoral neck anteversion—Femoral neck anteversion, definition, measuring methods and errors
A. Høiseth, O. Reikerås and E. Fønstelien . . . 69

Assessment of tibial torsion employing fluoroscopy, computed tomography and the cryosectioning technique
B.-G. Clementz and A. Magnusson 75

Pharmacokinetics of three contrast media in experimental pancreatography
A. Saari 81

Urinary excretion of iohexol after intestinal administration in rats with bowel ischaemia—The effects of mesenteric arterial and/or venous occlusion
A. Stordahl 87

Granulocyte chemotaxis—Chemoattractive properties of a synthetic tripeptide are inhibited by radiographic contrast media
F. Rasmussen, J. Georgsen and J. O. Pedersen . 93

Method dependence of proton spin-lattice relaxation analysis in biologic tissues
M. Komu, A. Alanen, H. Määttänen and M. Kormano 97

On-line monitoring of sequential blood flow reduction during splenic embolization
D. P. Link, J. A. Seibert, J. Gould and B. M. T. Lantz 101

A-mode ultrasonic detection of slow flow velocities in vitro
T. Kallio, A. Alanen and M. Kormano 103

Computed tomography in massive pulmonary embolism
P. Kälebo and J. Wallin 105

Ultrasonically guided subclavian vein catheterization
C. Nolsøe, L. Nielsen, S. Karstrup and K. Lauritsen 108

Intraarterial digital subtraction venography (i.a.-DSV) of abdominal vessels
P. Dawson and G. Dunn 109

Renovascular hypertension—Diagnosis and intervention

43–898086

H. S. THOMSEN, T. A. Sos and S. L. NIELSEN . . 113

Positron emission tomography and computed tomography in differential diagnosis between recurrent or residual glioma and treatment-induced brain lesions
A. LILJA, H. LUNDQVIST, Y. OLSSON, B. SPÄNNARE, P. GULLBERG and B. LÅNGSTRÖM 121

Lesions of skull base observed in high resolution computed tomography—A comparison with magnetic resonance imaging
E. VOLLE, J. TREISCH, C. CLAUSSEN and H. J. KAUFMANN 129

Atlantoaxial subluxation—Radiography and magnetic resonance imaging correlated to myelography
Y. YAMASHITA, M. TAKAHASHI, Y. SAKAMOTO and R. KOJIMA 135

Coil selection for magnetic resonance imaging of the cervical and thoracic spine using a vertical magnetic field
E.-M. LARSSON, H. NILSSON, S. HOLTÅS and F. STÅHLBERG 141

Reproducibility of the Pettersson scoring system—An interobserver study
R. ERLEMANN, H. ROSENTHAL, E. M. WALTHERS, P. ALMEIDA and R. CALLEJA 147

In vivo evaluation of femoral blood flow measured with magnetic resonance
O. HENRIKSEN, F. STÅHLBERG, C. THOMSEN, J. MØGELVANG and B. PERSSON 153

Diagnosis of deep venous thrombosis of the leg using immunoscintigraphy with ^{111}In-labelled monoclonal antifibrin antibody fragments
H. ARONEN 159

Problems in radiographic detection and diagnosis of lung cancer
N. HAYABUCHI, W. J. RUSSELL and J. MURAKAMI . 163

Computed tomograhy and mediastinoscopy in the assessment of resectability of lung cancer
S. LÄHDE, K. HYRYNKANGAS, J. MERIKANTO, R. POKELA, K. JOKINEN and P. KÄRKÖLÄ 169

Computed tomography reveals atypical localization of benign mediastinal tumors
J. IKEZOE, S. SONE, S. MORIMOTO, S. TAKASHIMA, J. ARISAWA, S. HAMADA, K. NAKAHARA, N. KOJIRO, M. ITO and T. KOZUKA 175

Spontaneous pneumothorax caused by metastatic hemangioendothelioma—Radiographic appearance and pathologic correlation
S. TAKASHIMA, N. TAKEUCHI, S. MORIMOTO, T. KOZUKA and K. OHNO 181

Peristalsis in pharyngeal constrictor musculature in relation to positioning and gravity
P. S. BORGSTRÖM and O. EKBERG 183

Radiologic diagnosis of gastro-oesophageal reflux
S.-G. FRANSSON, H. SÖKJER, K.-E. JOHANSSON and L. TIBBLING 187

Effect of superparamagnetic particles as oral contrast medium at magnetic resonance imaging—A phase I clinical study
M. LÖNNEMARK, A. HEMMINGSSON, T. BACH-GANSMO, A. ERICSSON, A. ÖKSENDAL, R. NYMAN and A. MOXNES 193

Abdominal computed tomography in macroglobulinemia (Waldenström's disease)—Report of a case
P. ASPELIN, G. ADIELSSON, N. DIMITROV, U. NYMAN and J. WALDENSTRÖM 197

Radiation dose to patients and personnel during fluoroscopy at percutaneous renal stone extraction
K. GETERUD, A. LARSSON and S. MATTSSON 201

Reducing the risk of ventricular fibrillation by adding sodium to ionic and non-ionic contrast media with low iodine concentration—Coronary perfusion of the isolated rabbit heart with meglumine diatrizoate or iopentol at 140 mg I/ml and 0–154 Na^+/l
L. BÅÅTH and T. ALMÉN 207

Acute lethality after enteral administration of contrast media in anaesthetized rats with intestinal ischaemia
A. STORDAHL, T. HAIDER and F. LAERUM 213

Nephropathy induced by intramuscularly administered glycerol and contrast media in rats—A comparison between diatrizoate, iohexol and ioxilan
H. S. THOMSEN, S. LARSEN, L. HEMMINGSEN, J. HOLM and P. SKAARUP 217

Preoperative needle-marking of non-palpable breast lesions
S. SØHOLM and C. CONRAD 223

Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference
M. MOSSKIN, K. ERICSON, T. HINDMARSH, H. VON HOLST, V. P. COLLINS, M. BERGSTRÖM, L. ERIKSSON and P. JOHNSTRÖM 225

Comparison of myelography, CT myelography and magnetic resonance imaging in cervical spondylosis and disk herniation—Pre- and postoperative findings
E.-M. LARSSON, S. HOLTÅS, S. CRONQVIST and L. BRANDT 233

Comparison of myelography and computed tomography in establishing lumbar disc herniation
M. K. J. FAGERLUND and U. E. THELANDER . . . 241

Low field magnetic resonance imaging of femoral neck fractures
J. I. RAGNARSSON, L. EKELUND, J. KÄRRHOLM and S.-O. HIETALA 247

Ultrasonography in lesions of the rotator cuff and biceps tendon
J. AHOVUO, P. PAAVOLAINEN and J.-M. BJÖRKENHEIM 253

Rupture of a cyst during compression at mammography—Report of a case
R. Novak 257
Enlargement of the thymus following chemotherapy for non-seminomatous testicular cancer
A. Abildgaard, H. H. Lien, S. D. Fosså, J. Høie and R. Langholm 259
Thymic atrophy and rebound enlargement following chemotherapy for testicular cancer
Ph. Hendrickx and W. Döhring 263
Relative heart volume and subsequent mortality in old people
J. K. Takala, K. J. Mattila and J. Jääskeläinen 269
Chest sonography—Differentiation of pulmonary consolidation from pleural disease
B. Acunas, L. Celik and A. Acunas 273
Tracheobronchial calcification in members of a fixed population sample
T. Fukuya, F. Mihara, S. Kudo, W. J. Russell, R. R. DeLongchamp, M. Vaeth and Y. Hosoda . 277
Cavitary pulmonary nodules in atypical collagen disease and lupoid drug reaction
C. Muren and O. Strandberg 281
Field-echo pulse sequences used under suspended respiration for detection of liver metastases
T. Andersson, R. Nyman, A. Ericsson and A. Hemmingsson 285
Effect of intravenously injected iodinated lipid emulsions on the liver—An experimental study correlating computed tomography findings with in vivo microscopy and electron microscopy findings
K. Ivancev, A. Lunderquist, R. McCuskey, P. McCuskey and A. Wretlind 291
Relative attenuation measurements of ultrasound in the liver using the zerocrossing method
K.-E. Fredfeldt 299
Spontaneous resolution of a descending aortic dissection—Report of a case
B. Thorvinger and U. Albrechtsson 305
Contrast enhancement of pathologic lymph nodes demonstrated by computed tomography
A. Magnusson, T. Andersson, B. Larsson, H. Hagberg and Ch. Sundström 307
Emphysematous pyelonephritis—Radiologic and clinical findings in six cases
M. Päivänsalo, P. Hellström, T. Siniluoto and A. Leinonen 311
Effects of contrast media on renal graft function and survival after cerebral angiography of cadaveric donors
S.-O. Hietala, B. Segerstedt, S. Wirell, O. Sunnegårdh, P. Östberg and L. Östh 317
Acute renal failure in rats—Interaction between contrast media and temporary renal arterial occlusion
C. Cederholm, T. Almén, D. Bergqvist, K. Golman and R. Takolander 321
Reduction of the risk of ventricular fibrillation in the isolated rabbit heart by small additions of electrolytes to non-ionic monomeric contrast media
L. Bååth and T. Almén 327
A foot-fixator for exact imaging reproducibility in lower extremity radiography
O. Mattsson 335
Book reviews 336
Digital chest radiography with a large image intensifier—Evaluation of diagnostic performance and patient exposure
L. G. Månsson, S. Kheddache, D. Schlossman, J. Börjesson, E. Håkansson, S. Mattsson and U. Tylén 337
Low flip angle gradient echo magnetic resonance imaging of the cervical spine at 0.3 tesla
S. Holtås, F. Ståhlberg, H. Nilsson, E.-M. Larsson and A. Ericsson 343
Ultra low field magnetic resonance imaging and computed tomography in the diagnosis of lumbar disc disease
M. K. J. Fagerlund and L. Ekelund 349
Lumbar spinal canal size of sciatic patients
M. Hurme, H. Alaranta, T. Aalto, L.-R. Knuts, H. Vanharanta and J. D. G. Troup 353
Spondylolysis and the sacro-horizontal angle in athletes
L. Swärd, M. Hellström, B. Jacobsson and L. Peterson 359
In vivo measurements of the T1 relaxation processes in the bone marrow in patients with myelodysplastic syndrome—A magnetic resonance imaging study
K. E. Jensen, H. Nielsen, C. Thomsen, P. G. Sørensen, H. Karle, P. Christoffersen and O. Henriksen 365
Local differences in mineral content in vertebral trabecular bone measured by dual-energy computed tomography
J. Nepper-Rasmussen and L. Mosekilde 369
Fractures of the proximal humerus involving the intertubercular groove
J. Ahovuo, P. Paavolainen and J.-M. Björkenheim 373
Pitfalls in ultrasonography of hip joint synovitis in the child
N. Egund and H. Wingstrand 375
Aspiration biopsy in renal angiomyolipoma
M. Taavitsainen, L. Krogerus and S. Rannikko 381
Effects of high- and low-osmolar contrast media on renal plasma flow and glomerular filtration rate in euvolaemic and dehydrated rats—A comparison between ioxithalamate, iopamidol, iohexol and ioxaglate
A. Nygren, H. R. Ulfendahl and A. Fasching . 383
Influence of vesicoureteral reflux and urinary tract

infection on renal growth in children with upper urinary tract duplication
L. Hannerz, I. Wikstad, G. Celsi and A. Aperia 391
Evaluation of intrahepatic tumour extent and prediction of resection size in liver tumours by computed tomography, ultrasonography and angiography
G. Tidebrant, L. O. Hafström and U. Tylén . . 395
Development of the Cruveilhier-Baumgarten syndrome after endoscopic obliteration of oesophageal varices—Report of a case
J. B. Dilawari, Y. K. Chawla and U. Kaur . . . 401
Ultrasonography of the gallbladder in acute pancreatitis
M. Soiva 403
Experimental investigation of a new iodinated lipid emulsion for computed tomography of the liver
K. Ivancev, A. Lunderquist, R. McCuskey, P. McCuskey and A. Wretlind 407
Transcatheter arerial chemotherapy using doxorubicin, iodized oil and Gelfoam embolization in hepatocelilular carcinoma
B. Van Beers, A. Roche, P. Cauquil, J. Jamart, D. Pariente and Y. Ajavon 415
In vivo microscopy of the liver after injection of Lipiodol into the hepatic artery and portal vein in the rat
Z. Kan, K. Ivancev, I. Hägerstrand, V. P. Chuang and A. Lunderquist 419
Chemical sclerosis of the gallbladder—An experimental study in pigs of the effect of absolute ethanol and polidocanol on gallbladder epithelium
N. Uchiyama, H. Stridbeck and U. Stenram . . . 427
Evaluation of biexponential relaxation behaviour in the human brain by magnetic resonance imaging
L. Kjær, C. Thomsen and O. Henriksen 433
Opening of the blood-brain barrier by intravenous contrast media in euvolemic and dehydrated rabbits
K. Hayakawa, T. M. Morris and R. W. Katzberg 439
Monitoring of therapy for deep vein thrombosis using magnetic resonance imaging
C. W. Francis, T. H. Foster, S. Totterman, B. Brenner, V. J. Marder and R. G. Bryant 445
Abstracts of theses 447
Book reviews 448
Clinical trials with a new iodinated lipid emulsion for computed tomography of the liver
K. Ivancev, A. Lunderquist, A. Isaksson, P. Hochbergs and A. Wretlind 449
Caroli's disease in two sisters—Diagnosis by ultrasonography and computed tomography
M. Höglund, C. Muren and D. Schmidt 459
Ultrasonography of splenic metastases
T. Siniluoto, M. Päivänsalo and S. Lähde . . . 463
Computed tomography in T1 carcinoma of the larynx
A. Kolbenstvedt, B. Charania, K. Natvig and J. Tausjø 467
Size of normal hilar lymph nodes measured in autopsy specimens
K. Kiyono, S. Sone, I. Izuno, F. Sakai, M. Oguchi, Y. Imai, S. Imai, S. Shigematsu and H. Ishigame 471
Percutaneous transluminal coronary angioplasty—Six years experience
K. Vatne, H. K. Pedersen, B. Laake, U. Brodahl, K. Levorstad and S. Simonsen 475
Magnetic resonance imaging and angiography for the assessment of coarctation of the aorta
R. Nyman, M. Hallberg, J. Sunnegårdh, J. Thurén and A. Henze 481
Paravertebral arteriovenous malformation with venous connection to left iliac vein—Report of a case
N. Matsunaga, K. Hayashi, H. Aikawa and H. Maeda 487
Magnetic resonance imaging of an epidural spinal arachnoid cyst
J. K. Hald, S. J. Bakke, P. H. Nakstad, I. O. Skalpe and J. Wiberg 491
Detection of soft-tissue and skeletal infections with ultra low-field (0.02 T) MR imaging
I. Hovi, P. Hekali, O. Korhola, M. Valtonen, V. Valtonen, M. Taavitsainen, A. Kivisaari, D. Hopfner-Hallikainen, R. Raininko, L. Porkka, R. Sepponen and I. Suramo 495
Radiologic assessment of humeral head retroversion—Description of a new method
V. Söderlund, M. Kronberg and L.-Å. Broström 501
Calcifications in the breast in Filaria loa infection
R. Novak 507
Nephrotoxicity of contrast media in patients with diabetes mellitus—A comparative urographic and angiographic study with iohexol and metrizoate
Å. Billström, S.-O. Hietala, F. Lithner, J. Merikanto, M. Wirell and S. Wirell 509
Urinary protein excretion following intravenously administered ionic and non-ionic contrast media in man
N. Skovgaard, J. Holm, L. Hemmingsen and P. Skaarup 517
Effect of diatrizoate on renal extraction of PAH in man
B. Tidgren and K. Golman 521
Staging in local endometrial carcinoma—Assessment of magnetic resonance and ultrasound examinations
B. Thorvinger, T. Gudmundsson, G. Horvath, L. Forsberg and S. Holtås 525
Comuted tomography for localization of intra-abdominally dislocated intrauterine devices
E. Hederström, M. Ahlgren and H. Salminen . 531

Effect of ethanol induced occlusion of the renal artery in rabbit kidney implanted sith VX2 carcinoma
S. Imai, Y. Kajihara, S. Nishishita and T. Hayashi 535
Effects on the ATP content of cultured cells after radiographic contrast media exposure—Evidence for accumulation of contrast media in cultured cells
A. Nordby, K. Thorstensen, J. Halgunset, O. A. Haugen and S. Solberg 541
Gallstones in bili-digestive shunts diagnosed by ultrasound—An unusual cause of obstruction
E. Hederström, Å. Andrén-Sandberg and L. Forsberg 549
Computed tomography of adrenal metastases in hepatocellular carcinoma—Report of four cases
K. Nakamura, Y. Sato and H. Nakata 550
Ultrasonography of osteochondritis dissecans of the knee—A preliminary report
H. E. Gregersen and O. S. Rasmussen 552
Dependence of ankle joint width on plantar flexion
F. Farsø Nielsen and A. de Carvalho 554
EAR Workshop on Education in Radiology in Europe 557
Demonstration of pedal arterial arcades in occlusive arteriosclerotic disease 559
Polar presentation of coronary angiography and thallium-201 single photon emission computed tomography—A method for comparing anatomic and pathologic findings in coronary angiography with isotope distribution in thallium-201 myocardial SPECT
B. Svane, D. Bone, A. Holmgren and C. Landou 561
Diagnosis of deep venous thrombosis by duplex sonography
M. Mantoni 575
Assessment of digital chest radiography using stimulable phosphor
M. Kehler, U. Albrechtsson, B. Andersson, H. Lárusdóttir, A. Lundin and H. Pettersson . . . 581
Computed tomography in invasive pulmonary aspergillosis
G. Potente 587
Low field magnetic resonance imaging of focal hepatic masses at 0.02 T
L. Ekelund and L. Athlin 591
Generalized increase of arterial blood flow to the liver observed at visceral radiocolloid angiography
U. Rudberg, U. Hessner and R. Udén 597
Treatment of liver metastases by arterial injection of Adriamycin/Mitomycin C Lipiodol suspension
H. Inoue, H. Kobayashi, Y. Itoh and S. Shinohara 603
Computed tomography findings in pancreas divisum
E. Lindström and I. Ihse 609
Computed tomography and histologic appearance of pancreatic metastases from distant sources
T. Muranaka, K. Teshima, H. Honda, T. Nanjo, K. Hanada and Y. Oshiumi 615
Small bowel barium examination in children—Diagnostic accuracy and clinical value as evaluated from 331 enteroclysis and follow-through examinations
L. Bååth, O. Ekberg, S. Borulf, T. Lindhagen and R. Olsson 621
Angiosarcoma—Diagnosis and clinical course
D. M. Coldwell, R. L. Baron and C. Charnsangavej 627
Clinical comparison of $^{99}Tc^{m}$-HMPAO labelled leucocytes and $^{99}Tc^{m}$-nanocolloid in the detection of inflammation
M. Vorne, T. Lantto, S. Paakkinen, S. Salo and I. Soini 633
A prognostic algorithm for assessment of subcapital femoral neck fractures
T. Mathiesen and M. Zayer 639
Influence of urography on renal function in children—A double blind study with metrizoate and iohexol
G. Stake, E. Monn, K. Rootwelt, K. Golman and T. Monclair 643
Nephrotoxicity of cyclosporin A and contrast media—A comparison between diatrizoate and iohexol in rats
H. S. Thomsen, S. Larsen, P. Skaarup, L. Hemmingsen, H. Dieperink and K. Golman 647
Effect of contrast media on left ventricular function during left coronary arteriography in dogs
K. Hayakawa and K. Yamashita 655
Dual cervical thoracic coil for spine magnetic resonance imaging
S. Totterman, T. H. Foster, D. B. Plewes, J. H. Simon, S. Ekholm and A. Wicks 661
Changes in atrial natriuretic peptide concentration at arteriography in man
L. Sörensen, J. Svanegård and J. Poulsen . . . 665
Simulation of biologic tissues by using agar gels at magnetic resonance imaging
M. Bucciolini, L. Ciraolo and B. Lehmann . . . 667
Book reviews 670
Thanks to Experts supporing the Editorial Board during 1989 671

SUBJECT INDEX TO VOLUME 30 (1989)

Nervous system (incl. skull)

Repeated computed tomography in lacunar infarcts of the brain 1
Multicystic acoustic neuroma—Case report and differential diagnosis 7
Positron emission tomography and computed tomography in differential diagnosis between recurrent or residual glioma and treatment-induced brain lesions 121
Lesions of skull base observed on high resolution computed tomography—A comparison with magnetic resonance imaging 129
Atlantoaxial subluxation—Radiography and magnetic resonance imaging correlated to myelopathy . . 135
Coil selection for magnetic resonance imaging of the cervical and thoracic spine using a vertical magnetic field 141
Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference 225
Comparison of myelography, CT myelography and magnetic resonance imaging in cervical spondylosis and disk herniation—Pre- and postoperative findings 233
Comparison of myelography and computed tomography in establishing lumbar disc herniation 241
Effects of contrast media on renal graft function and survival after cerebral angiography of cadaveric donors 317
Low flip angle gradient echo magnetic resonance imaging of the cervical spine at 0.3 tesla 343
Ultra low field magnetic resonance imaging and computed tomography in the diagnosis of lumbar disc disease 349
Lumbar spinal canal size of sciatic patients 353
Biexponential relaxation behaviour in the human brain—In vivo evaluation by magnetic resonance imaging 433
Opening of the blood-brain barrier by intravenous contrast media in euvolemic and dehydrated rabbits 439
Magnetic resonance imaging of an epidural spinal arachnoid cyst 491

Ear, nose, throat and eye

Computed tomography and ultrasonopgraphy in parotid tumors 11
Computed tomography in T1 carcinoma of the larynx 467

Bones, joints and soft tissues

Roentgenologic assessment of spondylolisthesis—II—An evaluation of progression 65
Evaluation of three methods for measurement of femoral neck anteversion—Femoral neck anteversion, definition, measuring methods and errors . . 69
Assessment of tibial torsion employing fluoroscopy, computed tomography and the cryosectioning technique 75
Coil selection for magnetic resonance imaging of the cervical and thoracic spine using a vertical magnetic field 141
Reproducibility of the Pettersson scoring system—An interobserver study 147
Low field magnetic resonance imaging of femoral neck fractures 247
Ultrasonography in lesions of the rotator cuff and biceps tendon 253
A foot-fixator for exact imaging reproducibility in lower extremity radiography 335
Lumbar spinal canal size of sciatica patients 353
Spondylolysis and the sacro-horizontal angle in athletes 359
In vivo measurements of the T1 relaxation processes in the bone marrow in patients with myelodysplastic syndrome—A magnetic resonance imaging study 365
Local differences in mineral content in vertebral trabecular bone measured by dual-energy computed tomography 369
Fractures of the proximal humerus involving the intertubercular groove 373
Pitfalls in ultrasonography of hip joint synovitis in the child 375
Detection of soft-tissue and skeletal infections with ultra low-field (0.02 T) MR imaging 495
Radiologic assessment of humeral head retroversion—Description of a new method 501
Ultrasonography of osteochondritis dissecans of the knee—A preliminary report 552
Dependence of ankle joint width on plantar flexion 554
Angiosarcoma—Diagnosis and clinical course 627
Clinical comparison of $^{99}Tc^{m}$-HMPAO labelled leucocytes and $^{99}Tc^{m}$-nanocolloid in the detection of inflammation 633
A prognostic algorithm for assessment of subcapital femoral neck fractures 639
Dual cervical thoracic coil for spine magnetic resonance imaging 661

Breast

Preoperative needle-marking of non-palpable breast lesions . . . 223
Rupture of a cyst during compression at mammography—Report of a case . . . 257
Ultra low field magnetic resonance imaging and computed tomography in the diagnosis of lumbar disc disease . . . 349
Calcifications in the breast in Filaria loa infection . 507

Cardiovascular system

Vascular parenchymal sources of upper gastrointestinal bleeding . . . 39
Demonstration of splenic and portal veins at routine celiac angiography—A clinical investigation of metrizoate and ioxaglate . . . 49
Demonstration of pedal arterial arcades in occlusive arteriosclerotic disease—Conventional and digital subtraction angiography compared . . . 61
On-line monitoring of sequential blood flow reduction during splenic embolization . . . 101
Computed tomography in massive pulmonary embolism . . . 105
Ultrasonically guided subclavian vein catheterization 108
Intraarterial digital subtraction venography (i.a.-DSV) of abdominal vessels . . . 109
Renovascular hypertension—Diagnosis and intervention . . . 113
In vivo evaluation of femoral blood flow measured with magnetic resonance . . . 153
Diagnosis of deep venous thrombosis of the leg using immunoscintigraphy with ^{111}In-labelled monoclonal antifibrin antibody fragments . . . 159
Reducing the risk of ventricular fibrillation by adding sodium to ionic and non-ionic contrast media with low iodine concentration—Coronary perfusion of the isolated rabbit heart with meglumine diatrizoate or iopentol at 140 mg I/ml and 0–154 mmol Na^+/l . . . 207
Relative heart volume and subsequent mortality in old people . . . 269
Spontaneous resolution of a descending aortic dissection—Report of a case . . . 305
Reduction of the risk of ventricular fibrillation in the isolated rabbit heart by small additions of electrolytes to non-ionic monomeric contrast media . . . 327
Development of the Cruveilhier-Baumgarten syndrome after endoscopic obliteration of oesophageal varices—Report of a case . . . 401
Monitoring of therapy for deep vein thrombosis using magnetic resonance imaging . . . 445
On the relation between arteriographically diagnosed femoral atheroclerosis and serum lipids—Prevalence and treatment in hyperlipidemic subjects (abstract) . . . 447
Percutaneous transluminal coronary angioplasty—Six years experience . . . 475
Magnetic resonance imaging and angiography for the assessment of coarctation of the aorta . . . 481
Paravertebral arteriovenous malformation with venous connection to left iliac vein—Report of a case 487
Effect of ethanol induced occlusion of the renal artery in rabbit kidney implanted with VX2 carcinoma . . . 535
Polar presentation of coronary angiography and thallium-201 single photon emission computed tomography—A method for comparing anatomic and pathologic findings in coronary angiography with isotope distribution in thallium-201 myocardial SPECT . . . 561
Diagnosis of deep venous thrombosis by duplex sonography . . . 575
Angiosarcoma—Diagnosis and clinical course . . . 627
Effect of contrast media on left ventricular function during left coronary arteriography in dogs . . . 655

Mediastinum and respiratory system

Computed tomography in massive pulmonary embolism . . . 105
Problems in radiographic detection and diagnosis of lung cancer . . . 163
Computed tomography and mediastinography in the assessment of resectability of lung cancer . . . 169
Computed tomography reveals atypical localization of benign mediastinal tumors . . . 175
Spontaneous pneumothorax caused by metastatic hemangioendothelioma—Radiographic appearance and pathologic correlation . . . 181
Enlargement of the thymus following chemotherapy for non-seminomatous testicular cancer . . . 259
Thymic atrophy and rebound enlargement following chemotherapy for testicular cancer . . . 263
Chest sonography—Differentiation of pulmonary consolidation from pleural disease . . . 273
Tracheobronchial calcification in members of a fixed population sample . . . 277
Cavitary pulmonary nodules in atypical collagen disease and lupoid drug reaction—Report of two cases . . . 281
Digital chest radiography with a large image intensifier—Evaluation of diagnostic performance and patient exposure . . . 337
Computed tomography in T1 carcinoma of the larynx 467
Size of normal hilar lymph nodes measured in autopsy specimens . . . 471
Assessment of digital chest radiography using stimulable phosphor . . . 581
Computed tomography in invasive pulmonary aspergillosis . . . 587

Digestive tract

Esophageal motor function evaluated by scintigraphy, video-radiography and manometry in diabetic patients 17
Double contrast barium enema combined with non-invasive imaging in peritoneal mesothelioma . . . 21
Computed tomography of ano-rectal anomalies—Correlation between radiologic findings and clinical evaluation of faecal incontinence 25
Vascular parenchymal sources of upper gastrointestinal bleeding 39
Urinary excretion of iohexol after intestinal administration in rats with bowel ischaemia—The effects of mesenteric arterial and/or venous occlusion . . 87
Peristalsis in pharyngeal constrictor musculature in relation to positioning and gravity 183
Radiologic diagnosis of gastro-oesophageal reflux . . 187
Acute lethality after enteral administration of contrast media in anaesthetized rats with intestinal ischaemia 213
Small bowel barium examination in children—Diagnostic accuracy and clinical value as evaluated from 331 enteroclysis and follow-through examinations 621
Clinical comparison of $^{99}Tc^{m}$-HMPAO labelled leucocytes and $^{99}Tc^{m}$-nanocolloid in the detection of inflammation 633

Liver, biliary tract

MR-cholangiography with a double contrast technique 29
Preoperative ultrasound assessment of choledochal cysts—Report of three cases 35
Vascular parenchymal sources of upper gastrointestinal bleeding 39
Intraarterial digital subtraction venography (i.a.-DSV) of abdominal vessels 109
Field-echo pulse sequences used under suspended respiration for detection of liver metastases 285
Effect of intravenously injected iodinated lipid emulsions on the liver—An experimental study correlating computed tomography findings with in vivo microscopy and electron microscopy findings . . 291
Relative attenuation measurements of ultrasound in the liver using the zerocrossing method 299
Evaluation of intrahepatic tumour extent and prediction of resection size in liver tumours by computed tomography, ultrasonography and angiography . . 395
Development of the Cruveilhier-Baumgarten syndrome after endoscopic obliteration of oesophageal varices 401
Ultrasonography of the gallbladder in acute pancreatitis 403
Experimental investigation of a new iodinated lipid emulsion for computed tomography of the liver . 407
Transcatheter arterial chemotherapy using doxorubicin, iodized oil and Gelfoam embolization in hepatocellular carcinoma 415
In vivo microscopy of the liver after injection of Lipiodol into the hepatic artery and portal vein in the rat 419
Chemical sclerosis of the gallbladder—An experimental study in pigs of the effect of absolute ethanol and polidocanol on gallbladder epithelium . . 427
Clinical trials with a new iodinated lipid emulsion for computed tomography of the liver 449
Caroli's disease in two sisters—Diagnosis by ultrasonography and computed tomography 459
Gallstones in bili-digestive shunts diagnosed by ultrasound—An unusual cause of obstruction 549
Computed tomography of adrenal metastases in hepatocellular carcinoma—Report of four cases . . . 550
Low field magnetic resonance imaging of focal hepatic masses at 0.02 T 591
Generalized increase of arterial blood flow to the liver observed at visceral radiocolloid angiography 597
Treatment of liver metastases by arterial injection of Adriamycin/Mitomycin C Lipiodol suspension . . 603

Spleen, pancreas

Mucinous cystadenocarcinoma of the pancreas—Ultrasonographic findings in 5 cases 45
Pharmacokinetics of three contrast media in experimental pancreatography 81
On-line monitoring of sequential blood flow reduction during splenic embolization 101
Ultrasonography of the gallbladder in acute pancreatitis 403
Ultrasonography of splenic metastases 463
Computed tomography findings in pancreas divisum 609
Computed tomography and histologic appearance of pancreatic metastases from distant sources 615

Abdomen

Effect of superparamagnetic particles as oral contrast medium at magnetic resonance imaging—A phase 1 clinical study 193
Abdominal computed tomography in macroglobulinemia (Waldenström's disease)—Report of a case . 197

Urogenital system

Duplex sonography of normal renal allografts 53
Absorbed dose resulting from a specially designed computed tomography technique for examination of the urinary bladder 57
Renovascular hypertension—Diagnosis and intervention 113

Radiation dose to patients and personnel during fluoroscopy at percutaneous renal stone extraction . . 201
Nephropathy induced by intramuscularly administered glycerol and contrast media in rats—A comparison between diatrizoate, iohexol and ioxilan . 217
Emphysematous pyelonephritis—Radiologic and clinical findings in six cases 311
Effects of contrast media on renal graft function and survival after cerebral angiography of cadaveric donors 317
Acute renal failure in rats—Interaction between contrast media and temporary renal arterial occlusion 321
Aspiration biopsy in renal angiomyolipoma 381
Effects of high- and low-osmolar contrast media on renal plasma flow and glomerular filtration rate in euvolemic and dehydrated rats—A comparison between ioxithalamate, iopamidol, iohexol and ioxaglate 383
Influence of vesicoureteral reflux and urinary tract infection on renal growth in children with upper urinary tract duplication 391
Dispelling the fear of the unknown—Effects of information to patients undergoing intravenous pyelography (abstract) 447
Nephrotoxicity of contrast media in patients with diabetes mellitus—A comparative urographic and angiographic study with iohexol and metrizoate . 509
Urinary protein excretion following intravenously administered ionic and non-ionic contrast media in man 517
Effect of diatrizoate on renal extraction of PAH in man 521
Staging in local endometrial carcinoma—Assessment of magnetic resonance and ultrasound examinations 525
Computed tomography for localization of intra-abdominally dislocated intrauterine devices 531
Effect of ethanol induced occlusion of the renal artery in rabbit kidney implanted with VX2 carcinoma 535
Influence of urography on renal function in children—A double blind study with metrizoate and iohexol 643
Nephrotoxicity of cyclosporin A and contrast media—A comparison between diatrizoate and iohexol in rats 647

Endocrine system

Enlargement of the thymus following chemotherapy for non-seminomatous testicular cancer 259
Thymic atrophy and rebound enlargement following chemotherapy for testicular cancer 263
Computed tomography of adrenal metastases in hepatocellular carcinoma 550

Lymphatic system

Contrast enhancement of pathologic lymph nodes demonstrated by computed tomography 307
Size of normal hilar lymph nodes measured in autopsy specimens 471

Pediatric radiology

Computed tomography of ano-rectal anomalies—Correlation between radiologic findings and clinical evaluation of faecal incontinence 25
Pitfalls in ultrasonography of hip joint synovitis in the child 375
Influence of vesicoureteral reflux and urinary tract infection on renal growth in children with upper urinary tract duplication 391
Magnetic resonance imaging and angiography for the assessment of coarctation of the aorta 481
Small bowel barium examination in children—Diagnostic accuracy and clinical value as evaluated from 331 enteroclysis and follow-through examinations 621
Influence of urography on renal function in children—A double blind study with metrizoate and iohexol 643

Digital radiography

Demonstration of pedal arterial arcades in occlusive arteriosclerotic disease—Conventional and digital subtraction angiography compared 61
On-line monitoring of sequential blood flow reduction during splenic embolization 101
Intraarterial digital subtraction venography (i.a.-DSV) of abdominal vessels 109
Digital chest radiography with a large image intensifier—Evaluation of diagnostic performance and patient exposure 337
Assessment of digital chest radiography using stimulable phosphor 581

Ultrasonography

Computed tomography and ultrasonography in parotid tumors 11
Double contrast barium enema combined with non-invasive imaging in peritoneal mesothelioma . . . 21
Preoperative ultrasound assessment of choledochal cysts—Report of three cases 35
Vascular parenchymal sources of upper gastrointestinal bleeding 39
Mucinous cystadenocarcinoma of the pancreas—Ultrasonographic findings in 5 cases 45
Duplex sonography of normal renal allografts 53
A-mode ultrasonic detection of slow flow velocities in vitro 103

Ultrasonically guided subclavian vein catheterization 108
Ultrasonography in lesions of the rotator cuff and biceps tendon 253
Chest sonography—Differentiation of pulmonary consolidation from pleural disease 273
Relative attenuation measurements of ultrasound in the liver using the zerocrossing method 299
Emphysematous pyelonephritis—Radiologic and clinical findings in six cases 311
Pitfalls in ultrasonography of hip joint synovitis in the child 375
Aspiration biopsy in renal angiomyolipoma 381
Evaluation of intrahepatic tumour extent and prediction of resection size in liver tumours by computed tomography, ultrasonography and angiography . . 395
Ultrasonography of the gallbladder in acute pancreatitis 403
Caroli's disease in two sisters—Diagnosis by ultrasonography and computed tomography 459
Ultrasonography of splenic metastases 463
Staging in local endometrial carcinoma—Assessment of magnetic resonance and ultrasound examinations 525
Gallstones in bili-digestive shunts diagnosed by ultrasound 549
Ultrasonography of osteochondritis dissecans of the knee 552
Diagnosis of deep venous thrombosis by duplex sonography 575

Computed tomography

Repeated computed tomography in lacunar infarcts of the brain 1
Multicystic acoustic neuroma—Case report and differential diagnosis 7
Computed tomography and ultrasonography in parotid tumors 11
Double contrast barium enema combined with non-invasive imaging in peritoneal mesothelioma . . . 21
Computed tomography of ano-rectal anomalies—Correlation between radiologic findings and clinical evaluation of faecal incontinence 25
Vascular parenchymal sources of upper gastrointestinal bleeding 39
Absorbed dose resulting from a specially designed computed tomography technique for examination of the urinary bladder 57
Assessment of tibial torsion employing fluoroscopy, computed tomography and the cryosectioning technique 75
Computed tomography in massive pulmonary embolism 105
Positron emission tomography and computed tomography in differential diagnosis between recurrent or residual glioma and treatment-induced brain lesions 121
Lesions of skull base observed on high resolution computed tomography—A comparison with magnetic resonance imaging 129
Computed tomography and mediastioscopy in the assessment of resectability of lung cancer 169
Computed tomography reveals atypical localization of benign mediastinal tumors 175
Abdominal computed tomography in macroglobulinemia (Waldenström's disease)—Report of a case . 197
Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference 225
Comparison of myelography, CT myelography and magnetic resonance imaging in cervical spondylosis and disk herniation—Pre- and postoperative findings 233
Comparison of myelography and computed tomography in establishing lumbar disc herniation 241
Enlargement of the thymus following chemotherapy for non-seminomatous testicular cancer 259
Thymic atrophy and rebound enlargement following chemotherapy for testicular cancer 263
Effect of intravenously injected iodinated lipid emulsions on the liver—An experimental study correlating computed tomography findings with in vivo microscopy and electron microscopy findings . . 291
Spontaneous resolution of a descending aortic dissection—Report of a case 305
Contrast enhancement of pathologic lymph nodes demonstrated by computed tomography 307
Emphysematous pyelonephritis—Radiologic and clinical findings in six cases 311
Ultra low field magnetic resonance imaging and computed tomography in the diagnosis of lumbar disc disease 349
Local differences in mineral content in vertebral trabecular bone measured by dual-energy computed tomography 369
Pitfalls in ultrasonography of hip joint synovitis in the child 375
Aspiration biopsy in renal angiomyolipoma 381
Evaluation of intrahepatic tumour extent and prediction of resection size in liver tumours by computed tomography, ultrasonograhy and angiography . . 395
Experimental investigation of a new iodinated lipid emulsion for computed tomography of the liver . 407
Transcatheter arterial chemotherapy using doxorubicin, iodized oil and Gelfoam embolization in hepatocellular carcinoma 415
Clinical trials with a new iodinated lipid emulsion for computed tomography of the liver 449
Caroli's disease in two sisters—Diagnosis by ultrasonography and computed tomography 459

Computed tomograhy in T1 carcinoma of the larynx 467
Computed tomography for localization of intra-abdominally dislocated intrauterine devices 531
Computed tomography of adrenal metastases in hepatocellular carcinoma 550
Computed tomography in invasive pulmonary aspergillosis 587
Computed tomography findings in pancreas divisum 609
Computed tomography and histologic appearance of pancreatic metastases from distant sources 615

Magnetic resonance imaging and spectroscopy

Multicystic acoustic neuroma—Case report and differential diagnosis 7
Double contrast barium enema combined with non-invasive imaging in peritoneal mesothelioma . . . 21
MR-cholangiography with a double contrast technique 29
Method dependence of proton spin-lattice relaxation analysis in biologic tissues 97
Lesions of skull base observed on high resolution computed tomography—A comparison with magnetic resonance imaging 129
Atlantoaxial subluxation—Radiography and magnetic resonance imaging correlated to myelopathy . . 135
Coil selection for magnetic resonance imaging of the cervical and thoracic spine using a vertical magnetic field 141
In vivo evaluation of femoral blood flow measured with magnetic resonance 153
Effect of superparamagnetic particles as oral contrast medium at magnetic resonance imaging—A phase 1 clinical study 193
Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference 225
Comparison of myelography, CT myelography and magnetic resonance imaging in cervical spondylosis and disk herniation—Pre- and postoperative findings 233
Low field magnetic resonance imaging of femoral neck fractures 247
Field-echo pulse sequences used under suspended respiration for detection of liver metastases 285
Low flip angle gradient echo magnetic resonance imaging of the cervical spine at 0.3 tesla 343
Ultra low field magnetic resonance imaging and computed tomography in the diagnosis of lumbar disc disease 349
In vivo measurements of the T1 relaxation processes in the bone marrow in patients with myelodysplastic syndrome—A magnetic resonance imaging study 365
Biexponential relaxation behaviour in the human brain—In vivo evaluation by magnetic resonance imaging 433
Monitoring of therapy for deep vein thrombosis using magnetic resonance imaging 445
Magnetic resonance imaging and angiography for the assessment of coarctation of the aorta 481
Magnetic resonance imaging of an epidural spinal arachnoid cyst 491
Detection of soft-tissue and skeletal infections with ultra low-field (0.02 T) MR imaging 495
Staging of local endometrial carcinoma—Assessment of magnetic resonance and ultrasound examinations 525
Low field magnetic resonance imaging of focal hepatic masses at 0.02 T 591
Dual cervical thoracic coil for spine magnetic resonance imaging 661
Simulation of biologic tissues by using agar gels at magnetic resonance imaging 667

Nuclear radiology

Esophageal motor function evaluated by scintigraphy, video-radiography and manometry in diabetic patients 17
Positron emission tomography and computed tomography in differential diagnosis between recurrent or residual glioma and treatment-induced brain lesions 121
Diagnosis of deep venous thrombosis of the leg using immunoscintigraphy with ^{111}In-labelled monoclonal antifibrin antibody fragments 159
Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference 225
Low field magnetic resonance imaging of femoral neck fractures 247
Polar presentation of coronary angiography and thallium-201 single photon emission computed tomography—A method for comparing anatomic and pathologic findings in coronary angiography with isotope distribution in thallium-201 myocardial SPECT 561
Generalized increase of arterial blood flow to the liver observed at visceral radiocolloid angiography 597
Clinical comparison of ^{99}Tc^{m}-HMPAO labelled leucocytes and ^{99}Tc^{m}-nanocolloid in the detection of inflammation 633

Interventional radiology

Vascular parenchymal sources of upper gastrointestinal bleeding 39
On-line monitoring of sequential blood flow reduction during splenic embolization 101

Renovascular hypertension—Diagnosis and intervention 113
Aspiration biopsy in renal angiomyolipoma 381
Radiation dose to patients and personnel during fluoroscopy at percutaneous renal stone extraction . . 201
Transcatheter arterial chemotherapy using doxorubicin, iodized oil and Gelfoam embolization in hepatocellular carcinoma 415
Chemical sclerosis of the gallbladder—An experimental study in pigs of the effect of absolute ethanol and polidocanol on gallbladder epithelium . . 427
Percutaneous transluminal coronary angioplasty—Six years experience 475
Effect of ethanol induced occlusion of the renal artery in rabbit kidney implanted with VX2 carcinoma 535
Treatment of liver metastases by arterial injection of Adriamycin/Mitomycin C Lipiodol suspension . . 603

Experimental radiology

Pharmacokinetics of three contrast media in experimental pancreatography 81
Urinary excretion of iohexol after intestinal administration in rats with bowel ischaemia—The effects of mesenteric arterial and/or venous occlusion . . 87
Method dependence of proton spin-lattice relaxation analysis in biologic tissues 97
A-mode ultrasonic detection of slow flow velocities in vitro 103
Reducing the risk of ventricular fibrillation by adding sodium to ionic and non-ionic contrast media with low iodine concentration—Coronary perfusion of the isolated rabbit heart with meglumine diatrizoate or iopentol at 140 mg I/ml and 0–154 mmol Na^+/l 207
Acute lethality after enteral administration of contrast media in anaesthetized rats with intestinal ischaemia 213
Nephropathy induced by intramuscularly administered glycerol and contrast media in rats—A comparison between diatrizoate, iohexol and ioxilan . 217
Effect of intravenously injected iodinated lipid emulsions on the liver—An experimental study correlating computed tomography findings with in vivo microscopy and electron microscopy findings . . 291
Acute renal failure in rats—Interaction between contrast media and temporary renal arterial occlusion 321
Reduction of the risk of ventricular fibrillation in the isolated rabbit heart by small additions of electrolytes to non-ionic monomeric contrast media . . . 327
Effects of high- and low-osmolar contrast media on renal plasma flow and glomerular filtration rate in euvolaemic and dehydrated rats—A comparison between ioxithalamate, iopamidol, iohexol and ioxaglate 383
Experimental investigation of a new iodinated lipid emulsion for computed tomography of the liver . 407
In vivo microscopy of the liver after injection of Lipiodol into the hepatic artery and portal vein in the rat 419
Chemical sclerosis of the gallbladder—An experimental study in pigs of the effect of absolute ethanol and polidocanol on gallbladder epithelium . . 427
Opening of the blood-brain barrier by intravenous contrast media in euvolemic and dehydrated rabbits 439
Effect of ethanol induced occlusion of the renal artery in rabbit kidney implanted with VX2 carcinoma 535
Effects of the ATP content of cultured cells after radiographic contrast media exposure—Evidence for accumulation of contrast media in cultured cells 541
Nephrotoxicity of cyclosporin A and contrast media—A comparison between diatrizoate and iohexol in rats 647
Effect of contrast media on left ventricular function during left coronary arteriography in dogs 655

Contrast media and other drugs

MR-cholangiography with a double contrast technique 29
Demonstration of splenic and portal veins at routine celiac angiography—A clinical investigation of metrizoate and ioxaglate 49
Pharmacokinetics of three contrast media in experimental pancreatography 81
Urinary excretion of iohexol after intestinal administration in rats with bowel ischaemia—The effects of mesenteric arterial and/or venous occlusion . . 87
Granulocyte chemotaxis—Chemoattractive properties of a synthetic tripeptide are inhibited by radiographic contrast media 93
Effect of superparamagnetic particles as oral contrast medium at magnetic resonance imaging—A phase 1 clinical study 193
Reducing the risk of ventricular fibrillation by adding sodium to ionic and non-ionic contrast media with low iodine concentration—Coronary perfusion of the isolated rabbit heart with meglumine diatrizoate or iopentol at 140 mg I/ml and 0–154 mmol Na^+/l 207
Acute lethality after enteral administration of contrast media in anaesthetized rats with intestinal ischaemia 213
Nephropathy induced by intramuscularly administered glycerol and contrast media in rats—A comparison between diatrizoate, iohexol and ioxilan . 217
Enlargement of the thymus following chemotherapy for non-seminomatous testicular cancer 259

Thymic atrophy and rebound enlargement following chemotherapy for testicular cancer 263
Cavitary pulmonary nodules in atypical collagen disease and lupoid drug reaction—Report of two cases 281
Effect of intravenously injected iodinated lipid emulsions on the liver—An experimental study correlating computed tomography findings with in vivo microscopy and electron microscopy findings . . 291
Effects of contrast media on renal graft function and survival after cerebral angiography of cadaveric donors 317
Acute renal failure in rats—Interaction between contrast media and temporary renal arterial occlusion 321
Reduction of the risk of ventricular fibrillation in the isolated rabbit heart by small additions of electrolytes to non-ionic monomeric contrast media . . . 327
Effects of high- and low-osmolar contrast media on renal plasma flow and glomerular filtration rate in euvolaemic and dehydrated rats—A comparison between ioxithalamate, iopamidol, iohexol and ioxaglate 383
Experimental investigation of a new iodinted lipid emulsion for computed tomography of the liver . 407
Transcatheter arterial chemotherapy using doxorubicin, iodized oil and Gelfoam embolization in hepatocellular carcinoma 415
In vivo microscopy of the liver after injection of Lipiodol into the hepatic artery and portal vein in the rat 419
Chemical sclerosis of the gallbladder—An experimental study in pigs of the effect of absolute ethanol and polidonacol on gallbladder epithelium . . 427
Opening of the blood-brain barrier by intravenous contrast media in euvolemic and dehydrated rabbits 439
Dispelling the fear of the unknown—Effects of information to patients undergoing intravenous pyelography 447
Clinical trials with a new iodinated lipid emulsion for computed tomography of the liver 449
Nephrotoxicity of contrast media in patients with diabetes mellitus—A comparative urographic and angiographic study with iohexol and metrizoate . 509
Urinary protein excretion following intravenously administered ionic and non-ionic contrast media in man 517
Effect of diatrizoate on renal extraction of PAH in man 521
Effects on the ATP content of cultured cells after radiographic contrast media exposure—Evidence for accumulation of contrast media in cultured cells 541
Treatment of liver metastases by arterial injection of Adriamycin/Mitomycin C Lipiodol suspension . . 603
Influence of urogaphy on renal function in children—A double blind study with metrizoate and iohexol 643
Nephrotoxicity of cyclosporin A and contrast media—A comparison between diatrizoate and iohexol in rats 647
Effect of contrast media on left ventricular function during left coronary arteriography in dogs 655
Changes in atrial natriuretic peptide concentration at femoral arteriography in man 665

Physics and technique

Absorbed dose resulting from a specially designed computed tomography technique for examination of the urinary bladder 57
Evaluation of three methods for measurement of femoral neck anteversion—Femoral neck anteversion, definition, measuring methods and errors . . 69
Method dependence of proton spin-lattice relaxation analysis in biologic tissues 97
Ultrasonically guided subclavian vein catheterization 108
Coil selection for magnetic resonance imaging of the cervical and thoracic spine using a vertical magnetic field 141
Radiation dose to patients and personnel during fluoroscopy at percutaneous renal stone extraction . . 201
Preoperative needle-marking of non-palpable breast lesions 223
Positron emission tomography compared with magnetic resonance imaging and computed tomography in supratentorial gliomas using multiple stereotactic biopsies as reference 225
Relative attenuation measurements of ultrasound in the liver using the zerocrossing method 299
A foot-fixator for exact imaging reproducibility in lower extremity radiography 335
Digital chest radiography with a large image intensifier—Evaluation of diagnostic performance and patient exposure 337
Low flip angle gradient echo magnetic resonance imaging of the cervical spine at 0.3 tesla 343
Local differences in mineral content in vertebral trabecular bone measured by dual-energy computed tomography 369
Biexponential relaxation behaviour in the human brain—In vivo evaluation by magnetic resonance imaging 433
On the relation between arteriographically diagnosed femoral atherosclerosis and serum lipids—Prevalence and treatment in hyperlipidaemic subjects . 447
Dual cervical thoracic coil for spine magnetic resonance imaging 661
Simulation of biologic tissues by using agar gels at magnetic resonance imaging 667

Abstracts of theses

On the relation between arteriographically diagnosed femoral atherosclerosis and serum protein—Prevalence and treatment in hyperlipidaemic subjects . 447
Dispelling the fear of the unknown—Effects of information to patients undergoing intravenous pyelography 447

Book reviews

Radiologische Diagnostik in Klinik und Praxis . . . 336
Ultrasound—Its chemical, physical, and biological effects 336
Ultrasound teaching cases 336
Paediatric diagnostic imaging 336
The radiologist's first reader 448
Normal anatomy for multiplanar imaging 448
Ultrasound of the prostate 448
Radiology of the esophagus 670
Clinical urography—An atlas and textbook of urological imaging 670